Snap-on Tools

SPRING - 2025





25Q1-KRA2007KUZHY

26" SEVEN-DRAWER VINTAGE DESIGN ROLL CAB (TRANSLUCENT RED)









- 1,190 ft-lb (1,613 N?·m) of bolt breakaway torque and 810 ft-lb (1,098 N?·m) of working torque
- For the toughest jobs, choose the maximum power of the MG725A





25Q2-PT338G 25Q2-PT338HV

3/8" DRIVE STUBBY AIR IMPACT WRENCH





- 425 ft-lb (576 N?·m) of bolt breakaway torque and 325 ft-lb (440 N?·m) of torque output
- Compact size and slim-style nose are great for working in tight spaces
- 10,700 RPM for faster bolt removal

 700 ft-lb (950 N·m) of bolt breakaway torque and 500 ft-lb (678 N·m) of torque output

• Compact design for greater access in tight spaces



4250:-

25Q2-106IPTMMA

6 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SWIVEL SOCKET SET (8, 10,12-15MM)



1495:-





25Q2-303IMXL

3 PC 1/2" DRIVE LOCKING IMPACT EXTENSION SET



1575:-



25Q2-110MGMM

10 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW MAGNETIC POWER SOCKET SET (5-15 MM)



1775:-

25Q2-307RIPLMY

7 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® LOW-PROFILE SWIVEL IMPACT SOCKET SET (14-24 MM)

7 2 2 2 2 2 2



3225:-





25**Q**2-214IMFMYA

14 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW IMPACT SOCKET SET (8-19, 21 AND 24 MM)



1450:-

80000000000



25Q2-310SIMMYA

10 PC 1/2" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP IMPACT SOCKET SET (10-19 MM)









SOFT GRIP

- Sealed head keeps lubricants in and contaminants out for longer life
- Soft grip handle provides comfort and control, and resists most shop chemicals
- Rugged reverse lever increases tool longevity



LENGTH (INCHES)

£3	25Q2-THL72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (RED)	LONG	6-7/8	<i>≨</i> 750:-
	25Q2-THL72O	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (ORANGE)	LONG	6-7/8	<i>⊊</i> 775:-
	25Q2-THL72G	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (GREEN)	LONG	6-7/8	5 775:-
1/4"	25Q2-THLL72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (RED)	EXTRA LONG	9-3/4	5 825:-
	25Q2-THLL720	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (ORANGE)	EXTRA LONG	9-3/4	<i>⊊</i> 795:-
	25Q2-THLL72G	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE RATCHET (GREEN)	EXTRA LONG	9-3/4	5 795:-
	25Q2-FH80	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP STANDARD HANDLE RATCHET (RED)	REGULAR	9-1/2	5 950:-
3/8"	25Q2-FH800	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP STANDARD HANDLE RATCHET (ORANGE)	REGULAR	9-1/2	<i>≨</i> 1050:-
3/	25Q2-FHL80	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (RED)	LONG	12-1/2	5 1075:-
	25Q2-FHL800	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (ORANGE)	LONG	12-1/2	5 1075:-
1/2"	25Q2-SH80A •	1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP HANDLE RATCHET (RED)	REGULAR	12	5 1295:-
	25Q2-SHL80A	1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE RATCHET (RED)	LONG	16-3/4	5 1395:-



SOFT GRIP FLEX

- Flex-head design allows exceptional versatility, with multiple positions for convenient access to work
- Soft grip handle provides comfort and control, and resists most shop chemicals
- Rugged reverse lever increases tool longevity



LENGTH (INCHES)

1/4"	25Q2-THLF72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET (RED)	LONG	6-7/8	5 995:-
	25Q2-THLLF72	1/4" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP EXTRA-LONG HANDLE FLEX-HEAD RATCHET (RED)	EXTRA LONG	9-3/4	5 1095:-
3/8"	25 Q 2-FHF80A	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP STANDARD HANDLE FLEX-HEAD RATCHET (RED)	REGULAR	10-3/8	_ 1175:-
	25Q2-FHLF80A	3/8" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET (RED)	LONG	13-11/16	5 1250:-
1/2"	25Q2-SHF80A •	1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP HANDLE FLEX-HEAD RATCHET (RED)	REGULAR	17-5/8	5 1775:-



FLEX-HEAD

- Flex-head design allows exceptional versatility, with multiple positions for convenient access to work
- Contoured handle for comfort and control
- Chrome finish for easy cleanup



				,	
3/8"	25Q2-FF80A	3/8" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE FLEX-HEAD RATCHET	REGULAR	8-3/8	5 1075:-
	25Q2-FLF80A	3/8" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE FLEX-HEAD RATCHET	LONG	11-1/2	<i>≨</i> 1175:-
1/2"	25 Q 2-SF80A	1/2" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE FLEX-HEAD RATCHET	REGULAR	17-11/18	5 1595:-
	25Q2-SLF80A	1/2" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE FLEX-HEAD RATCHET	LONG	24-13/16	<i>⊆</i> 1875:-



QUICK-RELEASE

- Quick-release button for rapid socket and accessory changes, even with greasy or oily hands
- Contoured handle for comfort and control
- Chrome finish for easy cleanup



1/4"	25 Q 2-TR72	1/4" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET	STANDARD	4-7/16	5 825:-
	25Q2-TRL72	1/4" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE QUICK-RELEASE RATCHE	LONG	6-1/2	<i>⊊</i> 975:-
3/8"	25Q2-FR80	3/8" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET	REGULAR	7-7/16	5 995:-
	25Q2-FRL80	3/8" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE QUICK-RELEASE RATCHET	LONG	10-3/8	<i>_</i> 1150:-
1/2"	25 Q 2-SR80A	1/2" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE QUICK-RELEASE RATCHET	REGULAR	10-5/16	5 1475:-
	25Q2-SRL80A	1/2" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE QUICK-RELEASE RATCHET	LONG	15	<i>≨</i> 1550:-



7:73 k

STUBBY & STUBBY FLEX

- Sealed head keeps lubricants in and contaminants out for longer life
- Stubby handle provides access in tight applications
- Contoured handle for comfort and control
- Chrome finish for easy cleanup
- Rugged reverse lever increases tool longevity



LENGTH (INCHES)

14"	25 Q 2-TK72	$1/4^{\prime\prime}$ DRIVE DUAL 80® TECHNOLOGY STUBBY FIXEDHEAD RATCHET	STUBBY	2-1/4	<i>⊊</i> 625:-
	25Q2-TKF72	1/4" DRIVE DUAL 80® TECHNOLOGY STUBBY FLEX- HEAD RATCHET	STUBBY FLEX	3-1/4	5 895:-
3/8"	25Q2-FK80	3/8" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE RATCHET	STUBBY	4-3/16	5 825:-
	25 Q 2-FKF80A	3/8" DRIVE DUAL 80® TECHNOLOGY STUBBY HANDLE FLEX-HEAD RATCHET	STUBBY FLEX	4-3/4	5 895:-

25Q2-112YSTMMY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA DEEP SOCKET SET (5-15 MM)



Includes magnetic storage tray





25Q2-212YSFSMY

12 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA DEEP SOCKET SET (8-19 MM)



Includes magnetic storage tray





25Q2-112TMMSY

12 PC 1/4" DRIVE 6-POINT FLANK DRIVE® SEMI-DEEP METRIC SOCKET SET (5–15 MM)

Includes magnetic storage tray



1550:-

25Q2-212YFSMY

12 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SHALLOW SOCKET SET (8-19 MM)



1450:-

Includes magnetic storage tray





25Q2-112YTMMSY
12 PC 1/4" DRIVE 6-POINT METRIC FLANK
DRIVE® XTRA SEMI-DEEP SOCKET SET
(5-15 MM)



1695:-

25**Q**2-212YFSMSY

12 PC 3/8" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SEMI-DEEP SOCKET SET (8-19 MM)




1775:

Includes magnetic storage tray











25Q2-112YTMMY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® XTRA SHALLOW SOCKET SET (5–15 MM)



1350:-

25**Q**2-**S**3625

3/8" DRIVE METRIC 36 MM LOW-PROFILE FILTER SOCKET

- 3/8" drive, 36 mm
- Low profile filter socket allows for easy access around obstructions



295:-



Includes magnetic storage tray





25Q2-1206GS

6 PC COMBINATION SQUARE DRIVE ADAPTOR SET



1275:-

 Includes 1/4" drive GFAT1E and TA3, 3/8" drive A2A and GSAF1F, and 1/2" drive GLA12B and GLAS1E in a storage tray



25Q2-OFSKIT

4 PC OIL/ FUEL FILTER SOCKET SET



- Removes and installs 24, 27, 35, 36 mm and 1-1/4" oil filters
- Includes (1) A127 and (1) A106 Oil Filter Sockets, (1) S3624 Filter Flip Socket and (1) A129 Cummins® Diesel Fuel Filter Socket in a storage tray



25Q2-106BTMX 6 PC 1/4" DRIVE KNURLED EXTENSION SET (1-1/4"-11")







25Q2-305ASX

5 PC 1/2" DRIVE EXTENSION SET (2-1/8, 3-1/2, 5, 8" - 11")





25Q2-BOERM6

6 MM 12-POINT METRIC 15° OFFSET RATCHETING COMBINATION WRENCH (BLUE-POINT®)



25Q2-TZ2 2 PC 1/4" DRIVE EXTENSION CONNECTOR SET

Female and male 90° connectors add versatility to extensions, breaker bars, ratchets and crowfoots when accessing hard-to-reach fasteners



450:-



175:-

25Q2-BPOERMSP712


SPANNER SET SPHERICAL DRIVE 12PC (8-19MM) (BLUE-POINT®)

- Unique Spline Drive fits 6 difference fasterner types
- Includes Sizes: 8mm 19mm












25Q2-SOXRM704A

4 PC 12-POINT METRIC FLANK DRIVE® PLUS NON-REVERSIBLE RATCHETING COMBINATION WRENCH SET (6–9 MM)



1650:-



25Q2-SOXRM703A

3 PC METRIC FLANK DRIVE® PLUS NON-REVERSIBLE RATCHETING COMBINATION WRENCH SET (21, 22, 24 MM)



2695:-



25Q2-SOXRRM704A

4 PC METRIC FLANK DRIVE® PLUS REVERSIBLE RATCHETING COMBINATION WRENCH SET (6–9 MM)



1650:-



25Q2-SOXRM01FBRA

11 PC 12-POINT METRIC FLANK DRIVE® PLUS 0° OFFSET NON-REVERSING RATCHETING COMBINATION WRENCH SET WITH PRO-FITM ORGANIZATION (6–16 MM)



5250:-



25Q2-DSM810K

10 PC METRIC 15°/60° OFFSET OPEN-END IGNITION WRENCH SET (3.2-11 MM)





25Q2-SOXRM02FBRA

6 PC 12-POINT METRIC FLANK DRIVE® PLUS 0° OFFSET NON-REVERSING RATCHETING COMBINATION WRENCH SET WITH PRO-FITM ORGANIZATION (17–24 MM)



2950:-





2950:-

25Q2-SVSM805

5 PC METRIC 30°/ 60° FLANK DRIVE® PLUS FOUR-WAY ANGLE OPEN-END WRENCH SET (18, 19, 21, 22 AND 24 MM)




25Q2-RBZM605

5 PC 12-POINT METRIC LATCH-ON® 0° OFFSET RATCHETING BOX WRENCH SET (7-17 MM) (BLUE-POINT®)







25Q2-XDLRM705K2A

5 PC 12-POINT METRIC FLANK DRIVE® HIGH-PERFORMANCE RATCHETING BOX WRENCH SET (10, 13, 15, 17 AND 19 MM)





25Q2-TQSG3FN350

 $1/2^{\prime\prime}$ drive to series flex-head newton meters torque wrench (70–350 N·M)



4695:-



25Q2-TQSG4RN800

3/4" DRIVE TQ SERIES RATCHETING NEWTON METERS TORQUE WRENCH (270-800 N·M)




























8" SLOT PANEL PLIERS RACK (RED)

- Angled slots ensure sure grip for up to six pliers at once
- Slots width can accommodate large pliers with large grips
- Designed to work with the Slots-N-Dots™ mounting system
- Plastic coating provides pliers retention and corrosion resistance
- Stamped steel rack gives added strength and durability











25Q2-ECPNH012UVU ULTRAVIOLET RECHARGABLE PENLIGHT







- Ultraviolet penlight is rechargeable
- UV wavelength is 395-405 nanometers
- Convenient size for leak detection in tight spaces
- Wacker R250 silicone rubber mouthpiece is FDA compliant
- Detachable clip

25Q2-ECPRD068EUB

FASTCHARGE 400 LUMEN PROJECT LIGHT (BLACK)

- Ultra-fast charging, with 80% capacity in 20 minutes; fully charged in less than 30 minutes
- 360° swivel bracket with strong magnets
- Strong, durable quality light that features a protective bumper
- IP65 rated for water and dust resistance
- 3-hour run time at 450 lm; 8 hours at 160 lm
- EU plug








25Q2-CTDFL861

14.4 V MICROLITHIUM 1,000 LUMEN DUAL-FUNCTION LIGHT (TOOL ONLY) (RED)

- Operates as a flashlight or an adjustable stick light
- Four light modes: flashlight, single side, opposite sides or dual-side LED



hanging the light for handsfree operation

- Resists most automotive fluids
- Impact modified glass filled nylon housing
- Batteries and charger not included



1350:-



25Q2-ECPNJ032U 🛑

350 LUMEN ALUMINUM SLIM POCKET LIGHT (RED)



950:-



- 350 lm slim pocket light with 3.5 hour run time
- Two-level Slide Power Switch: Slide once for low lumens and slide again for high lumens
- Red laser pointer with separate power switch
- Water-resistant USB-C charging
- Pocket clip for added versatility



25Q2-BK3000-55A

BORESCOPE WITH 5.5 MM IMAGER





- Includes mirror and magnet accessory
- Small, rugged housing designed for comfort and functionality, with a vibrant 2.5" LCD screen
- Integrated 5.5 mm high-resolution imager is easy to use and ensures that the product is always ready to go
- Onboard storage for up to 30 images
- Simple and user-friendly five-button interface
- Adaptable functionality through threestep zoom, adjustable brightness and 180° image rotation
- Imager is resistant to dust, dirt and water ingress for 30 minutes at depths of up to 3 meters
- Powered by AA batteries





25Q2-ECPRF052RU 25Q2-ECPRF052GU 🔵

500 LUMEN WIDE ANGLE POCKET LIGHT



795:-

15900:-

- 500 lm
- Full-screen design provides wider lighting
- Compact pocket size
- Adjustable rear clip
- Strong built-in magnet on base of clip for hands-free use
- Run Time: 2-1/2 hours on high
- IP65 rated for water and dust resistance

25Q2-BK7000

HIGH-DEFINITION BORESCOPE WITH 5.5 MM DUAL IMAGER





- Innovative Picture-in-Picture allows technician to capture forward and side camera images simultaneously
- Large 5" high-resolution screen
- Capacitive touchscreen interface
- True high definition (1,280 x 720) 5.5 mm dual-view imager for capturing finer details
- Wi-Fi® connectivity provides seamless software updates
- Ready to use out of the box
- Quick USB-C charging for less downtime









25Q2-SODC1 SOLDERING CLAMP



995:-

- Makes soldering wires together easier; holds wires in place and into alignment accurately
- Wire capacity 22-8 gauge



25Q2-SODC1-3 MAGNETIC HOLDER FOR SODC1 SOLDERING CLAMP



250:-



25Q2-TPM3M •



3 METER METRIC TAPE MEASURE (RED)





25Q2-YA4619

AUTO-DARKENING WELDING HELMET (VALOR)





25Q2-DBTRCSM19

19 PC COBALT STUBBY DRILL BIT SET



1250:-

Shorter length bits - Even more access in restricted areas!





25Q2-JCKWFCBLK

WEIGHTED FENDER COVER (BLACK)

- Extra-large 48 x 26" (1,248 in²) area for superb coverage
- Folds to a compact size for convenient storage



25Q2-MAGMATXL HIGH-POWER MAGNETIC MAT (BLACK)



475:- 1475:-



25Q2-SSX24P132 RATCHET DESIGN T-SHIRTS



150:-





25Q2-SSX24P133 SNAP-ON PATCH CAPS





Meka Amerikanskt 0704-521000

mekaamerikanskt@gmail.com

CONTACT YOUR LOCAL SNAP-ON DEALER FOR MORE INFORMATION

Kampanjen gäller t.o.m. 2025-06-30 med reservation för ev. slutförsäljning. Alla priser exkl. moms.