Snapen Tools

NEW YEAR PROMOTION NEW TOOLS IN TOOLS IN TOOLS



25Q1-BOX22122104ZFK

40" ROLL CAB STACK KRA2212+KRA2104 CANDYAPPLERED (COPPERTRIM)



19 995:-

- Lock 'N Roll® Drawer Retention
- Double wall construction

KRA2212;

- Cubic Inches (cm³): 14,529 (238,100)
- Square Inches (cm²): 4,030 (26,000)
- Net Weight, lb (kg): 280 (127)Dimensions: 40" x 19.8" x 39.1"
- KRA2104;
- Cubic Inches (cm3): 9,746 (159,710)
- Net Weight, lb (kg): 280 (127)
- Dimensions: 40" x 19.8" x 19.4"



WHILE STOCKS LAST

25Q1-QDRIVER4P

PRESET TORQUE SCREWDRIVER (4-40 IN-LB)





3050:-

25Q1-QD1RN25B

1/2" DRIVE NEWTON METER ADJUSTABLE CLICK-TYPE FIXED RATCHET TORQUE WRENCH (40-200 N-M)

1/4" DRIVE NEWTON METER ADJUSTABLE CLICK-TYPE

FIXED RATCHET TORQUE WRENCH (5-25 N·M)



3325:-







1/2" DRIVE FLEX-HEAD TECHWRENCH® TORQUE WRENCH (25-250 FT-LB)



4575:-



25Q1-ATECH1FS300H 251-ATECH1FS300DT 1/4" DRIVE FLEX-HEAD TECHANGLE® MICRO TORQUE WRENCH (15–300 IN-LB)



5395:-



25Q1-ATECH2F125GB 25Q1-ATECH2F125VR 25Q1-ATECH2F125VO 25Q1-ATECH2F125BV 3/8" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (5-125 FT-LB)



5750:



25Q1-ATECH3F300GB

1/2" DRIVE FLEX-HEAD TECHANGLE® TORQUE WRENCH (15–300 FT-LB)



650∙.



25Q1-DBT7 7 PC TORX® DOUBLE BALL L-SHAPED KEY SET

- Set includes size T10-T40
- 100° angle bend allows for access to fasteners a 90° stubby key cannot reach





5 PC 12-POINT METRIC FLANK DRIVE® COMBINATION WRENCH SET (20-24 MM)

Includes storage bag.

25Q1-OEXM705



2650:-




25Q1-ESW10MM

13 PC 10 MM FLANK DRIVE® AND FLANK **DRIVE® PLUS ESSENTIAL WRENCH SET**




Includes (13) combination, offset, box-end, ratcheting and specialty wrenches, designed to meet every need



25Q1-0EXSM714K

14 PC 12-POINT METRIC FLANK DRIVE® SHORT COMBINATION WRENCH SET (6-19 MM)





25Q1-OEXM706

6 PC 12-POINT METRIC FLANK **DRIVE® COMBINATION WRENCH** SET (25-30 MM)

Includes storage bag.



4650:-




25Q1-SVSM807A

7 PC METRIC 30°/60° FLANK **DRIVE® PLUS FOUR-WAY ANGLE** OPEN-END WRENCH SET (10-15 AND 17 MM)



2575:-



Heads are offset at 30° and 60° to the wrench handle



25Q1-BLPCWSM712B

12 PC 12-POINT METRIC **COMBINATION WRENCH SET (8-19** MM) (BLUE-POINT®)



1900:-


- Includes storage tray
- 15° offset box end for increased knuckle clearance and greater access in tight spaces





25Q1-BOERM704

4 PC 12-POINT METRIC 15° OFFSET RATCHETING **COMBINATION WRENCH** SET (21-25) (BLUE-POINT®)



- 15° offset box head provides extra knuckle clearance
- Ratcheting box is reversible





25Q1-PW10C 10" EXTERNAL PIPE WRENCH





HANDLE RATCHET

25Q1-T72







25Q1-ADHW6A 🛑 25Q1-ADHW6AG 🌑

6" WIDE MOUTH ADJUSTABLE WRENCH



25Q1-TF72

1/4" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE FLEX-HEAD RATCHET

72-tooth gear

Flex-head design allows exceptional versatility, with multiple positions for convenient access to work

1/4" DRIVE DUAL 80® TECHNOLOGY STANDARD



895:-



25Q1-TL72

1/4" DRIVE DUAL 80® TECHNOLOGY LONG HANDLE RATCHET

72-tooth gear





25Q1-112TMMY 12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® SHALLOW SOCKET SET (5-15 MM)





1525:-



25Q1-BLPADJ404SG **4 PC SOFT GRIP ADJUSTABLE** WRENCH SET (6-12") (BLUE-POINT®)

Includes storage tray

995:-




Special applications on tie rods and areas where accessibility is an issue

25Q1-112STMMY

12 PC 1/4" DRIVE 6-POINT METRIC FLANK DRIVE® DEEP SOCKET SET (5-15 MM)







25Q1-PWZ0QADT

25Q1-PWZ0QAG

25Q1-PWZ0QAMB

25Q1-PWZ0QAO

25Q1-PWZ0QAHV 🛑





25Q1-103TMLPA 1/4" 3 PC LOCKING POWER ADAPTOR SET (2-6")



25Q1-FKF100

3/8" DRIVE CYNERGYTM STUBBY HANDLE FLEX-HEAD RATCHET

100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



1325:-












3/8" DRIVE CYNERGY™ SOFT GRIP LONG HANDLE RATCHET

25Q1-FLF100

3/8" DRIVE CYNERGY™ LONG HANDLE FLEX-HEAD RATCHET



25Q1-FHLF100 3/8" DRIVE CYNERGYTM SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET



25Q1-FLL100 3/8" DRIVE CYNERGY™ EXTRA-LONG HANDLE RATCHET













1350:-

100-tooth gear with 3.6 degrees of swing arc makes it easy to work in tight spaces



25Q1-BCS70A 7 PC DISC BRAKE CALIPER DRIVER SET



Includes (4) 3/8" drive standard hex bit sockets (1/4, 5/16, 3/8" and 8 mm), (1) 3/8" drive TORX® (T40) standard bit socket and (2) 3/8" drive TORX® (T45 and T50) heavy-duty removal bit sockets



25Q1-206EFABLM

6 PC 3/8" DRIVE METRIC LONG BALL HEX BIT SOCKET SET (4-10 MM)

- Extra-long bit length provides increased reach in limited-access spaces
- Ball-end of bit makes it easier to insert bit into fastener, especially in blind access application







25Q1-SHLL80A 🛑 25Q1-SHLL80AG 🌑

1/2" DRIVE DUAL 80® TECHNOLOGY SOFT GRIP LONG HANDLE FLEX-HEAD RATCHET



25Q1-S80A

1/2" DRIVE DUAL 80® TECHNOLOGY STANDARD HANDLE RATCHET



25Q1-307ESAMY

7 PC 1/2" DRIVE METRIC HEX BIT STANDARD SOCKET DRIVER SET

 Includes 6, 8, 10, 12, 14, 17 and 19 mm socket drivers in a magnetic storage tray



25Q1-RIPLMS19C

1/2" DRIVE 6-POINT METRIC 19 MM LONG-REACH LOW-PROFILE SWIVEL IMPACT SOCKET

 Allows access to 2019-newer Subaru[®] caliper bolts



25Q1-SDDD22

INTERCHANGEABLE SHANK SCREWDRIVER S2/ P2

- Includes reversible PHILLIPS® ACR
 #2 and S2 slotted shank
- SDD style handle for comfort, control and durability
- Unique ball-detent locking mechanism for excellent blade retention



25Q1-SSDMR1AR 25Q1-SSDMR1ARG 25Q1-SSDMR1ARO

4-5/16" RATCHETING MAGNETIC STUBBY SCREWDRIVER



25Q1-SSDMR4BR 25Q1-SSDMR4BRO 8-3/4" RATCHETING STANDARD SCREWDRIVER


• Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits

575:-

25Q1-SHDX80R 8 PC INSTINCT® HARD GRIP COMBINATION SCREWDRIVER SET

Includes (5) Flat tip, plus (3) PHILLIPS® tip drivers in a storage tray





4 PC INSTINCT® HEAVY-DUTY PICK SET











16 PC INSTINCT® SOFT GRIP MINI-TIP COMBINATION SCREWDRIVER, TORX®, PICKS AND SEAL REMOVERS SET WITH PRO-FI™ ORGANIZATION



25Q1-SGMINI16FR 25Q1-SGMINI16FO 25Q1-SGMINI16FG

> Includes (2) 1/8 and 3/16", (2) #0 and #1 PHILLIPS® and (4) T8, T10, T15 AND T20 TORX® drivers, plus (4) hook, 90°, 45° and awl picks, and (4) long and short spoon and long and short contoured seal removers in a PRO-FI™ organizer



2375:-



25Q1-PLP300A 25Q1-PLP300AG

25Q1-PLP300AO

3 PC PRECISION PLIERS SET

Set includes (1) P87150A Cutting Pliers, (1) P92055A 4-1/2" Snipe Nose Pliers and (1) P91045A 5-1/2" Needle Nose Pliers



25Q1-HCP3KT 3 PC HOSE PINCHING PLIERS **SET (BLUE-POINT®)**

Includes 6, 7" and 10" hose pinching pliers in a storage pouch



550:-



1795:-

25Q1-YA1000A 9-5/8" MULTI-CUTTER (BLUE-POINT®)

Ideal for cutting heater hoses, fuel line hoses, copper wiring, PVC pipes, wiper hoses and air brake hoses. plus any resilient or semi-resilient material with a 0–1-1/8" dia.



450:-



25Q1-SRPCR105 - 25Q1-SRPCR105ADDT **5 PC SNAP RING PLIERS SET**



- Includes (3) straight tip and (2) angle tip (.030-.070") in a tray
- Convert from internal to external rings with push-button quickrelease design; up to 80% faster than previous SRPC design
- Longer 45° and 90° jaws for easier access to hard-to-reach retaining rings



25Q1-SSDMR8A 12-15/16" RATCHETING MAGNETIC LONG **BLACK SCREWDRIVER**

Includes SDM211B (3/16") and SDM213B (9/32") Flat Tip bits plus SDM221IRB (#1), SDM222IRB (#2) and SDM223IRB (#3) PHILLIPS® ACR® bits



695:-



25Q1-609CF

9" TALON GRIP™ STORK DUCK BILL PLIERS





25Q1-PL344BCF (DIP)

3 PC 4" TALON GRIP™ SLIP-JOINT PLIERS SET (DIP)

Set contains 44BCF, HJ44BCF and LN44BCF Talon Grip™ Slip-Joint pliers in a storage tray



25Q1-PL344BCFND (NO DIP)

3 PC 4" TALON GRIP™ SLIP-JOINT PLIERS SET (NO DIP)

Set contains 44BCFND, HJ44BCFND and LN44BCFND Talon Grip™ Slip-Joint pliers in a storage tray



















in metal, leather, canvas and vinyl

> 25Q1-BTG8 8 PC BRAKE PAD/ SHOE **GAUGE SET (BLUE-POINT®)**



25Q1-GA225A **FACE SHIELD**





25Q1-GA3200 **EAR PROTECTORS** (BLUE-POINT®)









HEAVY-DUTY GENERAL PURPOSE 3-3/4 LB SLIDE HAMMER SET WITH PRO-FITM

- 3.8 lb slide hammer provides maximum transfer force on the part to be removed
- PRO-FI™ Organization: Modular design provides in-drawer reconfiguration for new tools
- Each tool is precision fitted providing ultimate tool protection
- Contrasting colors make it easy to spot missing tools



25Q1-2004BSKA **4 PC BATTERY SERVICE KIT**

(BLUE-POINT®)

Includes (1) angle nose pliers, (1) side battery terminal cleaner, (1) terminal brush and (1) GM® 5/8" battery terminal ratcheting wrench in a kit bag












25Q1-PPCSGL714 14 PC SOFT GRIP LONG PUNCH AND CHISEL SET Includes (4) flat edge chisels, (5) pin punches, (4) starter punches and (1) center punch

in a storage tray



25Q1-BLPSTWR4A 4" STRAP WRENCH (BLUE-POINT®)

- 4" max diameter
- Adjusts to fit any circumference or irregular shape
- Will not scratch or damage surfaces
- Wrench strap is 1/2" (13 mm) wide





25Q1-PPN300 3 PC PRYING/ SMOOTHING **TOOL SET**

- For light prying and spreading/smoothing epoxy, adhesives and silicone uniformly
- Includes PPN1030, PPN2040 and PPN4050 in vinyl carrying case







25Q1-MPBS1140AO 40° BRAKE TOOL PRYBAR

- Strong 3/8" square alloy steel bar with straight tip
- 11" total length with 40° offset ensures access into tight wheel wells





25Q1-PPRG80

1.075:-


25Q1-PPR708BK

in a kit bag

8 PC ROLL PIN PUNCH SET

Includes (8) roll pin punches

The anvil end on heads of Snap-on® punches and chisels are machined to a modified parabolic curve



- Companion tool to the PPR708BK Roll Pin Punch Set
- Provides faster, safer pin installation
- Pin guide is a vinyl sleeve uniting pin and punch to achieve perfect alignment during installation





25Q1-PPC50AK 5 PC FLAT CHISEL SET

5 pc in KB2173 kit bagwells





25Q1-PK50A

3-1/2" STRAIGHT PUTTY KNIFE/ SCRAPER (BLUE-POINT®)



25Q1-PBHG48 **HEAVY-DUTY 48" GOOSENECK PRYBAR**





25Q1-ECPNJ032U 350 LUMEN ALUMINUM SLIM POCKET LIGHT (RED)

- 350 lm slim pocket light with 3.5 hour run time
- Two-level Slide Power Switch: Slide once for low lumens and slide again for high lumens
- Red laser pointer with separate power switch
- Flat compact size to fit easily in a pocket
- Water-resistant USB-C charging port for convenient charging
- Pocket clip for added versatility



25Q1-DBDDS20

20 PC DRILL AND DRIVER SET (BLUE-POINT®)

550:

Magnetic bit holder for strong driver bit and screw retention Includes six titanium coated drill bits—(2) 1/16", (1) 3/32", (2) 1/8" and (1) 3/16"

Set includes (13) 1" assorted driver bits and a 3" magnetic bit holder

25Q1-ECHDE052U 500 LUMEN SLIM HEADLAMP



650:-

- Dual light source: flood beam for lighting large area and focus beam for detail lighting
- 500 lm flood beam has run time of approximately 2-1/2 hours on high; 8 hours on low
- 150 lm focus beam for approximately 6 hours of run time
- IP54 water and dust resistant






25Q1-RTEMP8 MULTI-LASER INFRARED THERMOMETER

APPLICATIONS

- Pinpointing radiator core restrictions
- Checking exhaust and emission control problems
- Measuring catalytic converter temperatures
- Diagnosing exhaust manifolds for combustion problems
- Measuring tire temperatures
- Measuring race track temperatures
- Measuring bearing, rotor, drum, or brake temperatures for potential problems
- HVAC: Use for temperature room balancing, check supply/return registers duct work, monitor steam traps, furnace performance plus use in energy audits







- Temperature range: -76–1,400 °F (-60–760 °C)
- Operating range: 32–122 °F (0–50 °C)
- Battery: (2) AAA
- Battery life: minimum of 7 hours of continuous use with laser and 30 hours of continuous use without laser Accuracy: ±1.8 °F (±1 °C)



1725:-




25Q1-RTEMPB3AINFRARED LASER THERMOMETER (BLUE-POINT®)

- Temperature range: -58-932 °F (-20-500 °C)
- Compact size: 5.88 x 3.62 x 1.38" (149.2 x 92.1 x 34.9 mm)
- Nylon holster for transport and safe storage
- Battery: 9 V Alkaline or NiCad
- Operating range: 32-105 °F (0-40 °C)



1250:-





- Integrated 5.5 mm high-resolution imager is easy to use and ensures that the product is always ready to go
- Onboard storage for up to 30 images
- Adaptable functionality through three-step zoom, adjustable brightness and 180° image rotation
- Imager is resistant to dust, dirt and water ingress for 30 minutes at depths of up to 3 meters
- Powered by AA batteries







- Includes attachments for soldering and hot air
- Unique storage solution neatly holds the torch, solder tube and accessories









25Q1-SSX24P4UKALUMINIUM PARTY CUPS 4 PACK





HIGH-POWER MAGNETIC MAT

25Q1-MAGBOWLXL

EXTRA-LARGE MAGNETIC PARTS BOWL

25Q1-MAGMATXLR 25Q1-MAGMATXLHV 25Q1-MAGMATXLG



1550:-



25Q1-SSX24P6UK SNAP-ON PIZZA PEEL





Snapen Tools

NEW YEAR PROMOTION NEW TOOLS NEW DEALS

Q1 PROMOTION 2025

Meka Amerikanskt 0704-521000 mekaamerikanskt@gmail.com

CONTACT YOUR LOCAL SNAP-ON DEALER FOR MORE INFORMATION